أحمام بالمركز الإستعام المتأث فالمتاب فالمتاب المالو Activity Commencer Commencer of the control of 117041 7730.

The first the control of the second with the The state of the s

- The have word take The Carlotte 180 FELLER AND 120 12.5

-- a 122 and vanishing MO440 VACCINE

O L21 AND VACCINE

-> & bill 2, 4 7

1,22 ANDWER 1 GF 7

AN SI:481487 BICSIS

3N 3341:73 337

a a a INTERESTRICIENCY was A EA \*\*\*\*\*\*\* AS A MODEL FOR AIDE VACCINATION.

CANADATT OF VANAMOTO O R: NEXT O C

OF DOT. VHT. PATHOL., UNIV. GLASGOW, GLASGOW GG1 10H, UK. CAN FLANCISCO, CALIFORNIA, UCA, JUNE 1990. ALDS CHUILAN & COUPTL. 2). 1979. ALGG-GRAGE GRUIN: ALBERT IDEN: CZGF-5070

Contact the contact

والمنافقة المنافقة المنافقة 4

ANDWER 4 OF 5 444.4.

34.5 STRING DICTE

را بر الا ما الا الا الا الا MISS 130 745

- \*\*\*VACCINN\*\*\* STUDIES IN SIV INFESTED MACASURS Andrew Control of the control of the

CANDRER M D; LUCIW F; MARK F; MOURAW T; CARLEON J; TAMANOTO J; a manufacture of the control of the

tti. Mid. Pathol., Calif. Prihate Ryg. Ciet., Univ. Califunkia Davis, with the state of the state of

ARR. AL MESTENCE OF THE NATIONAL CANORY INSTITUTE LABORATORY OF TUNCT GILL I GLODY, DETHEBDA, MARYLAND, UDA, AUGUST 20-25, 1989. AIRI WAL LUM LARLYINGERS & (1). 1950. GE. CODEN: ARKRUT ICOM: @B@C-2229

william Control 620

ذه مد ر. الله والإنجاز على الميكان الأوارات ا

The Association of the Section

1507:42554

and the state of t Mandan Azerta

TO MANUAL TO THE TOTAL A STATE OF THE STATE

TTI. COLL., CON. VON. MUZ., MAZV. CALTE., MAVIN, CALLE., MA. THE COMMENT OF THE PROPERTY OF THE STATE OF LENGARY, CARACA. MININ. CATIO. TAGES CO. SCEN ラント きない み

BEST AVAILABLE COPY

The second second

..A English

+> loggif ALL LA GUERIEM AND ANGWER BETS ARE DELETED AT LOGOFF LOSSTTO (Y)/N/MOLD:

# **BEST AVAILABLE COPY**

# ABSTRACT:

Monoclonal antibodies specific for an epitope of an FIV-encoded antigen.

4. 5,162,538, Nov. 10, 1992, Antiviral new peptides; Klaus-Peter Voges, et al., 546/336, 337 [IMAGE AVAILABLE]

US PAT NO: 5,162,538 [IMAGE AVAILABLE]

L5: 4 of 10

### ABSTRACT:

Antiviral new peptides of the formula ##STR1## in which R.sup.3 denotes straight-chain or branched alkyl having up to 8 carbon atoms or denotes aryl having 6 to 10 carbon atoms or tolyl, and R.sup.4 denotes straight-chain or branched alkyl having up to 8 carbon atoms,

and physiologically acceptable salts thereof.

8. 5,118,602, Jun. 2, 1992, <u>Feline T - lymphotropic</u>
<u>lentivirus</u> assay; Niels C. Pedersen, et al., 435/5, 7.92; 436/518
[IMAGE AVAILABLE]

US PAT NO: 5,118,602 [IMAGE AVAILABLE]

L5: 8 of 10

#### **ABSTRACT:**

Compositions derived from a novel viral isolate designated <u>feline</u>

<u>T - lymphotropic lentivirus</u> (FTLV) include the whole virus;
proteins, polypeptides and, polynucleotide sequences derived from the
virus; and antibodies to antigenic sites on the virus. These compositions
are useful in a variety of techniques for the detection of and
vaccination against FTLV. Detection methods disclosed include
immunoassays for both the virus and antibodies to the virus, and the use
of polynucleotide probes to detect the viral genome. Vaccines include
both wholly and partially inactivated viruses and subunit vaccines.
Whole, live virus is also useful as a model system for predicting the
behavior of human immunodeficiency virus (HIV).

10. 5,037,753, Aug. 6, 1991, <u>Feline t - lymphotropic</u> <u>lentivirus</u>; Niels C. Pedersen, et al., 435/235.1; 424/89; 435/5, 948; 530/388.35 [IMAGE AVAILABLE]

US PAT NO:

5,037,753 [IMAGE AVAILABLE]

L5: 10 of 10

## ABSTRACT:

Compositions derived from a novel viral isolate designated feline T-lymphototropic lentivirus (FTLV) include the whole virus; proteins, polypeptides and, polynucleotide sequences derived from the virus; and antibodies to antigenic sites on the virus. These compositions are useful in a variety of techniques for the detection of and vaccination against FTLV. Detection methods disclosed include immunoassays for both the virus and antibodies to the virus, and the use of polynucleotide probes to detect the viral genome. Vaccines include both wholly and partially inactivated viruses and subunit vaccines. Whole, live virus is also useful as a model system for predicting the behavior of human immunodeficiency virus (HIV).

#### => logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF LOGOFF? (Y)/N/HOLD:y

U.S. Patent & Trademark Office LOGOFF AT 16:50:55 ON 09 AUG 93